

JONSERED 2080SR




JONSERED 2080SR BASIC DATA

Technical data	J2080SR 83	J2080SR 91	J2080SR 97	J2080SR 112	J2080SR 126		
Max lifting capacity, net (kNm)	196	189	188	172	166		
Max outreach (m)	8.25	9.05	9.65	11.15	12.55		
Number of extensions	1	1	1	1	1		
Outreach / Lifting capacity (m/kg)	3.0 - 6120 4.0 - 4630 5.0 - 3770 6.0 - 3170 7.0 - 2710 8.0 - 2340	3.0 - 5870 4.0 - 4440 5.0 - 3620 6.0 - 3070 7.0 - 2640 8.0 - 2290 8.8 - 2060	3.0 - 5680 4.0 - 4460 5.0 - 3570 6.0 - 3000 7.0 - 2570 8.0 - 2230 9.0 - 1970	- 5.0 - 3360 - 7.0 - 2360 - 9.0 - 1800 11.0 - 1380	- 4.0 - 3950 - 6.0 - 2600 - 8.0 - 1960 - 10.0 - 1550 12.0 - 1245		
Slewing system	Double						
Slewing angle (°)	415						
Slewing torque, gross (kNm)	33.2						
Max. working pressure (MPa)	21						
Recommended oil flow – fixed pump (I/min), 2-pump	2 x 90						
Weight (kg) *	2160	2220	2280	2420	2490		

^{*} Weight of standard crane, oil weight included

Side view



Model	1-0	1-1 min	1-1 max	1-2	1-3	1-4	1-5	2-1	2-2	2-3
83	4100	6660	8305	1640	1540	4210	1650	840	1750	Ø 40, B=184
91	4400	7460	9105	1590	1340	4710	1650	840	1750	Ø 40, B=184
97	5000	8060	9705	1590	1940	4710	1650	840	1750	Ø 40, B=184
112	6500	9560	11205	1590	3440	4710	1650	840	1750	Ø 40, B=184
126	6500	10960	12605	1590	2040	6110	1650	840	1750	Ø 40, B=184



BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment, intelligent services, smart and connected solutions. Hiab's class-leading load handling equipment includes HIAB, EFFER and ARGOS loader cranes, LOGLIFT and JONSERED forestry and recycling cranes, MOFFETT and PRINCETON truck mounted forklifts, MULTILIFT skiploaders and hooklifts, and tail lifts under the ZEPRO, DEL, and WALTCO brands. As the industry pioneer and with a proud 75 year history, Hiab is committed to be the preferred partner and solution provider to its customers and shape the future of intelligent load handling.

www.hiab.com

Hiab is part of Cargotec Corporation. www.cargotec.com

Disclaimer. We reserve the right to make changes. Illustrations, drawings and data are not always in accordance with the latest version or standard model in production. The models in the pictures may present special equipment or colours.

