

LOGLIFT 125Z



BASIC DATA


LOGLIFT 125Z BASIC DATA

Technical data	125Z 78	125Z 80	125Z 89	125Z 93
Max. lifting capacity (kNm)	112	110	106	103
Hydraulic outreach (m)	7.8	8.0	8.9	9.3
Number of extensions	1	1	2	2
Outreach – lifting capacity, standard (m – kg)	3.0 - 3350 4.0 - 2650 5.0 - 2220 6.0 - 1900 7.0 - 1620 7.5 - 1440	3.0 - 3350 4.0 - 2600 5.0 - 2180 6.0 - 1880 7.0 - 1600 7.7 - 1440	3.0 - 3250 4.0 - 2550 5.0 - 2100 6.0 - 1800 7.0 - 1540 8.0 - 1320 8.6 - 1060	3.0 - 3150 4.0 - 2460 5.0 - 2040 6.0 - 1760 7.0 - 1500 8.0 - 1300 9.0 - 970
Slewing system	Double			
Slewing angle (°)	425			
Slewing torque, gross (kNm)	29			
Max. working pressure (MPa)	25			
Recommended oil flow – fixed pump (l/min), 1-pump	70-90			
Recommended oil flow – fixed pump (l/min), 2-pump	2 x 60-80			
Min. recommended oil flow – variable displacement pump (l/min)	175			
Weight - High seat crane with standard stabilizer (kg)*	2140	2175	2285	2310
Weight - HiVision crane with standard stabilizer (kg)**	2270	2305	2415	2440
Weight - Cabin crane with standard stabilizer (kg)*	2550	2585	2695	2720

* Weight with fixed pump system. Oil weight included.

** Weight with variable pump system, oil weight included

Side view



Model	1-0 min	1-0 max	1-1	1-2	1-3	1-4	1-5	1-6	1-7
78	6110	7780	3180	2930	1670	2468	2906	2282	Ø 40, B=184
80	6330	8000	3400	2930	1670	2508	2946	2322	Ø 40, B=184
89	6080	8880	3180	2900	2800	2468	2906	2209	Ø 40, B=184
93	6450	9250	3400	3050	2800	2508	2946	2249	Ø 40, B=184

For more information,
please visit us at www.hiab.com



BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

hiab.com

Hiab is part of Cargotec.

cargotec.com

Disclaimer. We reserve the right to make changes. Illustrations, drawings and data are not always in accordance with the latest version or standard model in production. The models in the pictures may present special equipment or colours.

BD-J125Z-EN-WW_190124