

Specification Sheet for DL500 Range

| Company Name: | | Date: | |
|-------------------------------------|---|-----------------------|---------------------------------------|
| Order Number: | | Quantity rec | quired: |
| Deliver Lift | Collect Lift from Del | Delivery Dat | te Required: |
| Do you have a forkli | ift to unload? | | |
| Yes [| No, require DEL to provide a Fork I | _ift | |
| Delivery Address: | | | |
| Company Name: | St | eet Address: | |
| Post Code: ——— | Cir | y: ——— | |
| | | s 🔲 No Braci | ng Kit P/N required: |
| Door type (If Barn D | oor, please contact DEL Sales as th | e lift will need to | be a TL500) |
| Roller Shutter | Curtain Sider Dropside | | ₽ |
| Dimension A (Vehicle | e Floor Height): ———— mr | m (Max 1060mm) | |
| Dimension B (Overall | l Width of Vehicle): ———— mr | n | |
| Dimension C (Loadin | g Aperture): ———— mr | n | |
| Dimension D (Width o | of Corner Post): ———— mr | n | |
| Vehicle Voltage: | | | |
| 12v | 24v | | G R O U N D |
| Chassis Mass: **Please Note: If the | vehicle is over 3.5t and requires an | Underrun Bar, p | lease speak to DEL Sales. |
| Tail Lift Width requi | red: (Over Column Width) | | |
| 1780mm 192 | 22mm | 2055mm | |
| 2082mm 212 | 20mm | | |
| | ed, (large volumes only) please put th could incur an extra charge. | e size required be | low, this will need to be approved by |
| New Size required: _ | | | |



Tail Lift Details

| Pla | tform Specification: | | |
|------|---|---------------------------------------|---|
| | 815mm + 205mm Fixed Ramp | | |
| | 815mm + 205mm Fixed Ramp | Inc Trolley Stops | |
| | 1065mm + 205mm Fixed Ramp | | |
| | 1065mm + 205mm Fixed Ramp | o Inc Trolley Stops | |
| | 1065mm + 3 Way Folding Ram | ps | |
| | 1370mm + 205mm Fixed Ramp | o Inc Trolley Stops | |
| Sid | e Ramp Type: | | |
| | Pair of Hinged Side Ramps (On | ly available on 1065mm Platform w | ith 3 Way Folding Ramps) |
| Coı | ntrol Setup: | | |
| | Single Fixed Control | Single Detachable Wanderlead | Internal Hard Wired Wanderlead and Fixed External Control |
| | Dual Fixed Controls | Single Slimline Fixed Control | Slimline Fixed External Control & Internal Fixed Control |
| Inte | ernal Control Bracket: (<mark>If seco</mark> | nd Control required) | |
| | Bracket with Deflector Plate | Bracket with No Deflector Plate | |
| Tail | Lift Isolator: (Not required if y | you have Single Detachable Wande | rlead). |
| | Cab Switch | Red Key Isolator | □ VDHH |
| Fer | псе Туре: | | |
| | Auto Erect Fences (If required | , Lift will require Short Columns and | d Dual Controls) |
| | Sockets only for Drop in Fence | s Pair of Drop in Fences | Wrap Around Fences |
| Cal | ole Options: | | |
| | 24' Battery Cables (Standard) | 35' Battery Cables Plug & | Play Kit (Please see page 3 for details) |
| Opt | tions: | | |
| | Battery Guard | Flashing Lights | Stow Light Indicator |
| | Left Hand Drive | Short Column (WVTA) | Two Handed Control |
| | Bed Bracing Angle | Column Protection Plates | |



| Warranty Options: (12 Mo | onth Warranty as standard | i) | | | |
|--|---------------------------|--------------------------------|----------------------------|--|--|
| 2 Year Warranty | 3 Year Warranty | 4 Year Warranty | 5 Year Warranty | | |
| Plug & Play Kit Options: | | | | | |
| Plug & Play on Power, | Earth & 2-Core Only. | | | | |
| Plug & Play Kit Options: Plug & Play on Power, Earth & 2-Core Only. Cables attached to the Tail Lift Power Pack/ Beam: 800mm CABLE FOR CAB SWITCH WITH PLUG 000mm BATTERY CABLES WITH PLUG Cattery Cables Kit includes: 1' POWER CABLE (WIRED TO ANDERSON PLUG) WIRED TO 200A MEGA FUSE 1' EARTH CABLE (WIRED TO ANDERSON PLUG) | | | | | |
| Battery Cables Kit includes: 21' POWER CABLE (WIRED TO ANDERSON PLUG) WIRED TO 200A MEGA FUSE 21' EARTH CABLE (WIRED TO ANDERSON PLUG) 30' 2 CORE FOR CAB SWITCH WITH CONNECTOR & CAB SWITCH KIT | | | | | |
| Plug & Play Kit supplied | d with the Lift | lug & Play Kit sent in advance | (large volume orders only) | | |
| Bracing Kit Options for F | actory Bodies: | | | | |

| Vehicle | Body | Recommended Lift Width | Pt Number | Price |
|------------------------------|-------------------------------------|---------------------------|-----------|-------|
| Scattolini Dropside Kits | | | | |
| Nissan Cabstar | Scattolini Dropside | 2022mm | 101260 | £145 |
| Toyota Dyna | Scattolini Dropside | 2022mm | 101260 | £145 |
| Renault Master | Scattolini Dropside | 2022mm | 101260 | £145 |
| VW Crafer | Scattolini Dropside | 2022mm | 101260 | £145 |
| Vauxhall Movano | Scattolini Dropside | 2022mm | 101260 | £145 |
| VFS Scattolini Dropside Kits | | | | |
| Ford Transit SWB | Scattolini VFS Dropside | 1922mm | 103999 | £370 |
| Ford Transit LWB | Scattolini VFS Dropside | 2022mm | 103618 | £370 |
| VFS Scattolini Tipper Kits | | | | |
| Ford Transit Tipper | Scattolini VFS Tipper | 2120mm | 101309 | £110 |
| Ingimex Dropside Kits | | | | |
| VW Crafter | Ingimex F2 Dropside | 2022mm | 101256 | £345 |
| Mercedes Sprinter | Ingimex F2 Dropside | 2022mm | 101256 | £345 |
| Iveco Daily | Ingimex F2 Dropside | 2022mm | 101256 | £345 |
| Citroen Relay | Ingimex F2 Dropside | 2022mm | 101256 | £345 |
| Vauxhall Movano | Ingimex F2 Dropside | 2022mm | 101256 | £345 |
| Ford Transit Twin Wheel | Ingimex Dropside June 10 onwards | 2022mm | 101851 | £370 |
| Ingimex Tipper Kits | | | | |
| VW Crafter | Ingimex Titan Tipper | 2010mm | 54868 | £140 |
| Iveco Daily | Ingimex Titan Tipper | 2010mm | 54868 | £140 |
| Vauxhall Movano | Ingimex Titan Tipper | 2010mm | 54868 | £140 |
| Renault Master | Ingimex Titan Tipper | 2010mm | 54868 | £140 |
| Fiat Ducato Dropside Kits | | | | |
| Fiat Ducato | Dropside | 2022mm | 103828 | £370 |
| | | | | |