

Company Name:	Date:
Order Number:	Quantity required:
Deliver Lift Collect Lift from Del	Delivery Date Required:
Do you have a forklift to unload?	
Yes No, require DEL to provide a Fork	< Lift
Delivery Address	
Company Name: S	Street Address:
Post Code: C	Dity:
Vehicle Details Is the Vehicle a Factory Body? Yes No Chase	sis Make & Model:
If Yes , do you require a Factory Body Bracing Kit? Y Please see our selection of Bracing Kits below on pag	
Vehicle Type:	
Roller Shutter	
Dimension A (Vehicle Floor Height): n	nm (Max 1060mm) ┟ <mark>ፈ</mark> ーー・・・・
Dimension B (Overall Width of Vehicle): n	
Dimension C (Loading Aperture):	nm A
Dimension D (Width of Corner Post): n	nm
Vehicle Voltage:	
□ 12v □ 24v	
Chassis Mass: **Please Note: If the vehicle is over 3.5t and requires a	n Underun Bar, please speak to DEL Sales.
Tail Lift Width required:	
1780mm 1922mm 2010mm 2022mm	
2055mm 2120mm 2181mm 2260mm	
If a new size is required, please put the size required below could incur an extra charge.	w, this will need to be approved by DEL Engineering and

New Size required: _____



Tail Lift Details

Platform Options:				
850mm Working Surface + 205	mm Fixed Ramp inc Trolley Stops.			
1105mm Working Surface + 20	5mm Fixed Ramp inc Trolley Stops.			
Control Setup:				
Single Fixed Control	Single Detachable Wanderlead	Internal Hard Wired Wanderlead and Fixed External Control		
Dual Fixed Controls	Single Slimline Fixed Control	Slimline Fixed External Control & Internal Fixed Control		
Internal Control Bracket: (<mark>If seco</mark>	nd Control required)			
Bracket with Deflector Plate	Bracket with No Deflector Plate			
	you have Single Detachable Wanderl			
Cab Switch	Red Key Isolator			
Fence Type:				
Pair of Drop in Fences	Sockets only for Drop in Fences			
Cable Options:				
22' Battery Cables (Standard)	35' Battery Cables Plug & F	Play Kit (Please see page 3 for details)		
Options:				
Battery Guard	Flashing Lights	Stow Light Indicator		
Left Hand Drive	Short Column (WVTA)	Two Handed Control		
Bed Bracing Angle				
Extended Warranty: (12 Month Warranty as standard)				
2 Year Warranty 3	Year Warranty 4 Year Warr	ranty 5 Year Warranty		



Plug & Play Kit Options:

Plug & Play on Power, Earth & 2-Core Only.

Cables attached to the Tail Lift Power Pack/ Beam:

1800mm CABLE FOR CAB SWITCH WITH PLUG 2000mm BATTERY CABLES WITH PLUG

Battery Cable Kit includes:

21' POWER CABLE (WIRED TO ANDERSON PLUG)WIRED TO 200A MEGA FUSE 21' EARTH CABLE (WIRED TO ANDERSON PLUG) 30' 2 CORE FOR CAB SWITCH WITH CONNECTOR CAB SWITCH KIT

Plug & Play Kit supplied with the Lift

Plug & Play Kit sent in advance (large volume orders only)

Bracing Kit Options for Factory Bodies:

Vehicle	Body	Recommended Lift Width	Pt Number	Price
Scattolini Dropside Kits				
Nissan Cabstar	Scattolini Dropside	2022mm	101260	£145
Toyota Dyna	Scattolini Dropside	2022mm	101260	£145
Renault Master	Scattolini Dropside	2022mm	101260	£145
VW Crafer	Scattolini Dropside	2022mm	101260	£145
Vauxhall Movano	Scattolini Dropside	2022mm	101260	£145
VFS Scattolini Dropside Kits				
Ford Transit SWB	Scattolini VFS Dropside	1922mm	103999	£370
Ford Transit LWB	Scattolini VFS Dropside	2022mm	103618	£370
VFS Scattolini Tipper Kits				
Ford Transit Tipper	Scattolini VFS Tipper	2120mm	101309	£110
Ingimex Dropside Kits				
VW Crafter	Ingimex F2 Dropside	2022mm	101256	£345
Mercedes Sprinter	Ingimex F2 Dropside	2022mm	101256	£345
Iveco Daily	Ingimex F2 Dropside	2022mm	101256	£345
Citroen Relay	Ingimex F2 Dropside	2022mm	101256	£345
Vauxhall Movano	Ingimex F2 Dropside	2022mm	101256	£345
Ford Transit Twin Wheel	Ingimex Dropside June 10 onwards	2022mm	101851	£370
Ingimex Tipper Kits				
VW Crafter	Ingimex Titan Tipper	2010mm	54868	£140
lveco Daily	Ingimex Titan Tipper	2010mm	54868	£140
Vauxhall Movano	Ingimex Titan Tipper	2010mm	54868	£140
Renault Master	Ingimex Titan Tipper	2010mm	54868	£140
Fiat Ducato Dropside Kits				
Fiat Ducato	Dropside	2022mm	103828	£370